D2991-1/-2/-3 SIDE DOOR

NOTES

D

С

1) MATERIALS:

RESIN = EPOCAST 50-A/9816 OR DERAKANE 470-36/411/510A40

FOAM = 3/8", A500 CORE-CELL OR DIVINYCELL OR AIREX OR KLEGECELL

FIBRE = 9.7 OZ 7781 WEAVE "S" GLASS ("9 OZ SATIN")

12 OZ UNIDIRECTIONAL FIBERGLASS ("12 OZ UNIDIRECTIONAL")

- 2) FINISH: FINISH INSIDE WITH DUPONT HIGHBUILD PRIMER GREY #1104S OR #1144S
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 9 lbs TYP
- 8) USE MOLD DT8626 FOR D2991-1 SIDE DOOR
 USE MOLD DT8627 FOR D2991-2 SIDE DOOR
 USE MOLD DT8626 FOR D2991-3 SIDE DOOR (TRIM PER DT8631)
- 9) ROUTER FOAM CORE USING: DT8628 FOR D2991-1 SIDE DOOR

DT8629 FOR D2991-2 SIDE DOOR DT8630 FOR D2991-3 SIDE DOOR

10) LAYUP PER QSI 006 AND AS FOLLOWS:

MAIN LAYUP:

WHITE GLOSS GELCOAT #GEL 944W005

9 OZ SATIN 9 OZ SATIN FOAM FOAM STRIP 9 OZ SATIN

12 OZ UNIDIRECTIONAL (4.5" WIDE, 2 EDGES SHOWN)

9 OZ SATIN

RESIN (35-45% BY WEIGHT)

PEEL PLY

- 11) BOND FOAM CORE USING POLYBOND B46F
- 12) DRILL Ø0.38 HOLE. REMOVE THE FOAM INNER LAYER 0.25 AROUND THE HOLE BETWEEN THE INNER AND OUTER SKINS. APPLY TAPE OR AN EQUIVALENT BACKER TO THE INNER SIDE OF THE HOLES TO PREVENT EPOXY FILLER FROM GOING THROUGH. FILL THE CAVITY BETWEEN THE SKINS COMPLETELY WITH HYSOL 934NA MIXED WITH MILLED GLASS FIBERS TO A RATIO OF 10:1, OR HYSOL 956A/B MIXED WITH MILLED GLASS FIBERS TO A RATIO OF 10:1, OR METALSET A4, OR MAGNABOND 6398. ALLOW THE MATERIAL TO CURE. DRILL Ø0.191 THROUGH, 3 PLACES PER DOOR. SEE SECTION E-E.

6



REFORMAT, MOVE HOLE: 16.5 WAS 10.25 (ZN C8-2) 10.03.23 10.7 WAS 10.2 (ZN D7-2), PAR 10-007 REFORMAT DWG, ADD DIMS TO DOUBLERS (ZN D7-2. D3-3, D7-4), X.X TOL WAS X.XX (ZN D7-2, D3-3, D7-4, 09.09.26 A8-5, A4-5), D2992-1 NOW 4.000 WIDE (ZN D7-2, D5-3, D4-4), RMV DECAL (ZN A8-1), NCR 09-041 UPDATE NOTES & MATERIALS: 1.25 WAS 0.50; ADD 07.10.29 SECTION E-E; REMOVE D0589-041/-042/-043 REMOVE D2621: 5.500 WAS 1.980 RF 02.02.22 Α **NEW ISSUE** СP 02.01.23 REV. DESCRIPTION DATE DESIGN DART AEROSPACE LTD DRAWN HAWKESBURY, ONTARIO, CANADA CHECKED DRAWING NO. REV. E D2991 MFG. APPR. SHEET 1 OF 5 APPROVED TITLE SCALE DE APPR. SIDE DOOR COPYRIGHT © 2002 BY DART AEROSPACE LTD DATE

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

2
1

- 13 W

В

1

В







